

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of : Attorney Docket No. 2005_1963A
Shoji YUYAMA et al. : **Confirmation No. 2504**
Serial No. 10/566,162 : Group Art Unit 3651
Filed June 22, 2006 : Examiner Timothy R. Waggoner
DRUG DISPENSER AND DRUG FILLING : **Mail Stop: AMENDMENT**
APPARATUS INCORPORATING THE
SAME

MISCELLANEOUS COMMUNICATION

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

It has come to Applicants' attention that the certification on page 2 of the Information Disclosure Statement of April 1, 2010 is incorrect. Accordingly, a replacement Information Disclosure Statement is submitted herewith, including the required fee set forth in 37 C.F.R. 1.17(p). Applicants respectfully request that the Examiner consider the replacement Information Disclosure Statement of June 7, 2010 in lieu of the Information Disclosure Statement of April 1, 2010.

Respectfully submitted,

Shoji YUYAMA et al.

By /Andrew D. St.Clair/

Andrew D. St.Clair
Registration No. 58,739
Attorney for Applicants

Digitally signed by /Andrew D. St.Clair/
DN: cn=Andrew D. St.Clair, o=us, email=astclair@wenderoth.com, c=US
Date: 2010.06.07 13:37:01 -0400

ADS/rgf
Washington, D.C. 20005-1503
Telephone (202) 721-8200
Facsimile (202) 721-8250
June 7, 2010